References

1. Jan Kodovský and Jessica Fridrich, “Quantitative Steganalysis Using Rich Models”, Proc. SPIE 8665, Media Watermarking, Security, and Forensics, March 22, 2013.
2. J. Fridrich and J. Kodovský. Rich models for steganalysis of digital images. IEEE Transactions on Information Forensics and Security, 7(3):868–882, June 2012.
3. J. Kodovský, J. Fridrich, and V. Holub, “Ensemble classifiers for steganalysis of digital media”, IEEE Transactions on Information Forensics and Security , 7(2):432–444, April 2012
4. T. Pevný, J. Fridrich, and A. Ker, “From blind to quantitative steganalysis,” IEEE Trans. Inf. Forensics Security, vol. 7, no. 2, pp. 445–454, Apr. 2012.
5. Chunfang Yang, Fenlin Liu, Xiangyang Luo, and Ying ZengPixel, “Pixel Group Trace Model-Based Quantitative Steganalysis for Multiple Least-Significant Bits Steganography”, IEEE Transactions On Information Forensics And Security, vol. 8, no. 1, January 2013
6. Chunfang Yang, Fenlin Liu1, Xiangyang Luo1, Ying Zeng,”Fusion of Two Typical Quantitative Steganalysis Based on SVR”, Journal Of Software, Vol. 8, No. 3, March 2013
7. Tomas Pevny and Andrew D. Ker, “The Challenges of Rich Features in Universal Steganalysis”, Proc. SPIE 8665, Media Watermarking, Security, and Forensics, 86650M, March 22, 2013.
8. Ziwen Sun, Hui Li, “Quantitative Steganalysis Based on Wavelet Domain HMT and PLSR”, 10th IEEE International Symposium on Distributed Computing and Applications to Business, Engineering and Science, 2011
9. Gikhan Gul and Faith Kurugollu,”SVD-Based Universal Spatial Domain Image Steganalysis”, IEEE Transactions on Information Forensics and Security,Vol.5,No.2,June 2010
10. Changxin Liu, Chunjuan Oujang,“Image Steganalysis Based on Spatial Domain and DWT Domain Features”, IEEE Second International Conference on Network Security, Wireless Communications and Trusted Computing, 2010.
11. Souvik Bhattacharyya and Gautam Sanyal, “Steganalysis of LSB Image Steganography

using Multiple Regression and Auto Regressive (AR) Model", Int. J. Comp.Tech. Appl., Vol 2 (4), 1069-1077

12. Zhenhao Zhu, Tao Zhang, Baoji Wan, "A special detector for the edge adaptive image steganography based on LSB matching revisited", 2013 10th IEEE International Conference on Control and Automation (ICCA)
13. Weiqi Luo, Yuangen Wang, Jiwu Huang, "Security analysis on spatial +_1Steganography for jpeg decompressed images", IEEE Signal Processing Letters, (Volume:18 ,Issue: 1)
14. Tomas Pevny,Tomas Filler, Patrick Bas, "Using high-dimentional image models to perform undetectable steganography" , Lecture Notes in Computer Science Volume 6387,2010,pp 161-177
15. Mielikainen, " LSB Matching revisited", Signal Processing Letters, IEEE (Volume:13 , Issue: 5), May 2006
16. Weiqi Luo, Fangjun Huang, and Jiwu Huang, "Edge Adaptive Image Steganography Based on LSB Matching Revisited", IEEE Transactions On Information Forensics And Security, vol. 5, no. 2, june 2010
17. Shunquan Tan, "Targeted Steganalysis of Edge Adaptive Image Steganography Based on LSB Matching Revisited Using B-Spline Fitting", Signal Processing Letters, IEEE(Volume:19 ,Issue: 6), June 2012
18. Chao Wang, Xiaolong Li, Bin Yang, Xiaoqing Lu, Chengcheng Liu, " Content- adaptive approach for reducing embedding impact in steganography", IEEE International Conference on Acoustics Speech and Signal Processing (ICASSP), 14-19 March 2010
19. Yi-zhen Chen**,** Zhi Han**,** Shu-ping Li**,** Chun-hui Lu**,** Xiao-Hui Yao, "An Adaptive Steganography algorithm based on block sensitivity vectors using HVS features" 3rd International Congress on Image and Signal Processing (CISP) 16-18 Oct. 2010
20. M. Ravi Shankar Reddy (2013) et.al., A Novel Method for Steganography in Spatial Domain, International Journal of Advanced Research in Computer Science and Software Engineering, Volume No - 3, Issue No-10, pp-1117- 1122
21. G.S.Sravanthi et.al. (2012), A Spatial Domain Image Steganography Technique Based on Plane Bit Substitution Method, Global Journal of Computer Science and Technology Graphics & Vision, Volume No – 12, Issue No-15
22. J. Harmsen & W. Pearlman (2003), Steganalysis of additive noise modelable information

hiding, in Proc. Security and Watermarking of Multimedia Contents V, Volume No-5020, pp. 131-142

23. X. Zhang & S. Wang (2005), Steganography using multiple-base notational system and human vision sensitivity, IEEE Signal Processing Letters, Volume No-12, Issue No-1, pp. 67-70.
24. D.C. Wu & W.H. Tsai (2003), A Steganographic method for images by pixel-value differencing, Pattern Recognition Letters, Volume No-24, pp. 1613–1626.
25. S. Dumitrescu et.al. (2002), "On steganalysis of random lsb embedding in continuous-tone images" in Proc. IEEE International Conference on Image Processing, Rochester, Volume No-3, pp. 641 - 644.
26. S. Trivedi & R. Chandramouli (2005), Secret key estimation in sequential steganography, Supplement on Secure Media, IEEE Trans. on Signal Processing, Volume No – 53, Issue No-2, pp 746 – 757
27. J. Harmsen & W. Pearlman, "Steganalysis of additive noise modelable information hiding," Proc. SPIE Electronic Imaging, 2003.
28. A. Westfeld & A. Pfitzmann., "Attacks on steganographic systems," Third Information Hiding Workshop, Sept. 1999.
29. T. Pevnvy, & J. Fridrich (2007), Merging Markov and DCT features for multi-class JPEG steganalysis, [Media Watermarking, Security, and Forensics IX], Delp III, E. J. and Wong, P. W., eds., Proc. SPIE 6505, pp.03-14,
30. T. Pevnvy, & J. Fridrich (2008), Novelty detection in blind steganalysis, Proceedings of the 10th ACM Multimedia & Security Workshop, pp 167-176.
31. S.Lyu & H.Farid (2006), Steganalysis using higher-order image statistics, IEEE Transactions on Information Forensics and Security, Volume No – 1, Issue No-1,pp. 111-119.
32. V.Chandola, et.al (2009), Anomaly detection: A survey, ACM Computing Surveys (CSUR), Volume No – 41, Issue No-3, pp.1-58.
33. J.Fridrich, et.al (2007), Statistically undetectable JPEG steganography: dead ends challenges, and opportunities, Proceedings of the 9th ACM Multimedia & Security Workshop, pp. 3-14.

34. Y. Guo, et.al (2009), “Universal methodology for developing quantitative steganalysis,” Chinese Journal of Electronics, Volume No-18, Issue No - 3, pp. 455–459.
35. R. B¨ohme (2005), “Assessment of steganalytic methods using multiple regression models,” in Proc. of the 7th Workshop on Information Hiding, LNCS 3727. Barcelona, Spain:Springer Verlag, Berlin, pp. 278–295.
36. R. B. ohme & A. D. Ker (2006), A two-factor error model for quantitative steganalysis,” Proc. of the SPIE, Security, Steganography and Watermarking of Multimedia Contents VIII, SPIE 6072. San Jose, California: SPIE, Bellingham, Washington, pp. 59–74.
37. A. D. Ker, “Derivation of error distribution in least squares steganalysis,” IEEE Transactions on Information Forensics and Security, vol. 2, no. 2, pp. 140–148, 2007.
38. C. Yang, F. Liu, and X. Luo, “Error correction of sample pair analysis based on support vector regression,” in Proc.of the 3rd International Conference on Multimedia Information Networking and Security. Shanghai, China: IEEE, November 2011, pp. 633–636.
39. D. Wu, J. Cao, J. Wang, and W. Li, “Multi-feature fusion face recognition based on kernel discriminate localpreserve projection algorithm under smart environment,” Journal of Computer, vol. 7, no. 10, pp. 2479–2487, 2012.
40. H. Shi, H. Dong, L. Xu, C. Song, F. Zhong, and R. Su, “Multi-satellite monitoring sst data fusion based on the adaptive threshold clustering algorithm,” Journal of Computer, vol. 7, no. 10, pp. 2593–2598, 2012.
41. X. Luo, F. Liu, C. Yang, and D. Wang, “Image universal steganalysis based on best wavelet packet decomposition,” Science China: Information Science, vol. 53, no. 3, pp. 634–647, 2010.
42. G. Brown. An information theoretic perspective on multiple classifier systems. In J. Benediktsson, J. Kittler, and F. Roli, editors, Multiple Classifier Systems, volume 5519 of Lecture Notes in Computer Science, pages 344‑353. Springer Berlin, Heidelberg, 2009.
43. R. Bryll, R. Gutierrez-Osuna, and F. Quek. Attribute bagging: Improving accuracy of classifier ensembles by usin random feature subsets. Pattern Recognition, 36(6):1291‑1302, 2003.

44. C. Chen and Y.Q. Shi. JPEG image steganalysis utilizing both intrablock and interblock correlations. In Circuits and Systems, ISCAS 2008. IEEE International Symposium on, pages 3029‑3032, May 2008.
45. R.-E. Fan, K.-W. Chang, C.-J. Hsieh, X.-R. Wang, and C.-J. Lin. LIBLINEAR: A library for large linear classification. Journal of Machine Learning Research, 9:1871‑1874, 2008.
46. H. Farid and L. Siwei. Detecting hidden messages using higher-order statistics and support vector machines. In F. A. P. Petitcolas, editor, Information Hiding, 5th InternationalWorkshop, volume 2578 of Lecture Notes in Computer Science, pages 340‑354, Noordwijkerhout, The Netherlands, October 7‑9, 2002. Springer-Verlag, New York.
47. T. Filler and J. Fridrich. Gibbs construction in steganography. IEEE Transactions on Information Forensics and Security, 5(4):705‑720, 2010.
48. J. Fridrich. Feature-based steganalysis for JPEG images and its implications for future design of steganographic schemes. In J. Fridrich, editor, Information Hiding, 6th International Workshop, volume 3200 of Lecture Notes in Computer Science, pages 67‑81, Toronto, Canada, May 23‑25, 2004. Springer-Verlag, New York.
49. J. Fridrich, J. Kodovsky, M. Goljan, and V. Holub. Breaking HUGO ‑ the process discovery. In T. Filler, T. Pevny, A. Ker, and S. Craver, editors, Information Hiding, 13th International Workshop, volume 6958 of Lecture Notes in Computer Science, Prague, Czech Republic, May 18‑20,2011.
50. J. Fridrich, J. Kodovsky, M. Goljan, and V. Holub. Steganalysis of content-adaptive steganography in spatial domain.In T. Filler, T. Pevny, A. Ker, and S. Craver, editors, Information Hiding, 13th International Workshop, volume 6958 of Lecture Notes in Computer Science, Prague, Czech Republic, May 18‑20, 2011.
51. J. Fridrich, T. Pevny, and J. Kodovsky. Statistically undetectable JPEG steganography: Dead ends, challenges, and opportunities. In J. Dittmann and J. Fridrich, editors, Proceedings of the 9th ACM Multimedia & Security Workshop, pages 3‑14, Dallas, TX, September 20‑21, 2007.
52. M. Goljan, J. Fridrich, and T. Holotyak. New blind steganalysis and its implications. In E. J. Delp and P. W. Wong, editors, Proceedings SPIE, Electronic Imaging, Security,

Steganography, and Watermarking of Multimedia Contents VIII, volume 6072, pages 1‑13, San Jose, CA, January 16‑19, 2006.

53. G. Gul, A.E. Dirik, and İ. Avcıbaş. Steganalytic features for JPEG compression-based perturbed quantization. IEEE Signal Processing Letters, 14(3):205‑208, March 2000.
54. G. Gul and F. Kurugollu. A new methodology in steganalysis : Breaking highly undetactable steganograpy (HUGO). In T. Filler, T. Pevny, A. Ker, and S. Craver, editors, Information Hiding, 13th International Workshop, volume 6958 of Lecture Notes in Computer Science, Prague, CzechRepublic, May 18‑20, 2011.
55. T.K. Ho. The random subspace method for constructing decision forests. IEEE Transactions on Pattern Analysis and Machine Intelligence, 20:832‑844, 1998.
56. M. Kharrazi, H.T. Sencar, and N. Memon. Improving steganalysis by fusion techniques: A case study with image steganography. LNCS Transactions on Data Hiding and Multimedia Security I, 4300:123‑137, 2006.
57. J. Kodovsky. Ensemble classification in steganalysis ‑ cross-validation and AdaBoost. Technical report, Binghamton University, August 2011.
58. J. Kodovsky. On dangers of cross-validation in steganalysis.Technical report, Binghamton University, August 2011.
59. J. Kodovsky and J. Fridrich. Calibration revisited. In J. Dittmann, S. Craver, and J. Fridrich, editors, Proceedings of the 11th ACM Multimedia & Security Workshop, pages 63‑74, Princeton, NJ, September 7‑8, 2009.